

## Dosage Recommendations

### SHAKE WELL PRIOR TO MIXING

**For Stock Solution:** add 3 ounces of IMC per gallon of water and inject using a medicator at 1:128.

## Handling and Storage

Use only as intended. Though this product is non-toxic and non-hazardous it is not suitable for human consumption. The manufacturer assumes no liability, expressed or implied, in the use of this product.

Store this product out of direct sunlight in a cool dry area. For best results, use within 3 months.

Request a IMC SDS for more specific information. Made in the USA.



## IMMUNE MODULATOR FOR CATTLE

*Ultra concentrated yeast-based fermentation extract of enzymes blended with micronutrients and Direct-Fed Microbials for Cattle.*



### Guaranteed Analysis: Direct-Fed Microbials:

1.25x10 <sup>9</sup> cfu/ml total count	Bacillus Pumilus	5.0x10 <sup>8</sup> cfu/g
	Bacillus Subtilis	3.75x10 <sup>8</sup> cfu/g
	Bacillus Licheniformis	3.75x10 <sup>8</sup> cfu/g

Minerals			
Calcium, minimum	0.68%	Magnesium, minimum	21.0 ppm
Calcium, maximum	0.86%	Zinc, minimum	29.0 ppm
Phosphorus, minimum	0.009%	Potassium, minimum	98.0 ppm
Sodium, minimum	0.44%	Sulfur, minimum	355.0 ppm
Sodium, maximum	0.56%	Copper, minimum	795.0 ppm

**Contains:** Propylene Glycol, Water, Molasses Products, Plant Protein Products, Acetic Acid, Sodium Benzoate, Potassium Sorbate, Bentonite, Zeolite, Lactic Acid, Bacillus, Pumilus, Bacillus Subtilis, Bacillus Licheniformis.

### First Aid

-Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

NET WT	LOT#
<input type="checkbox"/> 1 Gal. (9.0 LB)	