

Dosage Recommendations

SHAKE WELL PRIOR TO MIXING.

For Stock Solution: add 3 ounces of IMP per gallon of water and inject using a medicator at 1:128.

Handling and Storage

Use only as intended. Though this product is non-toxic and non-hazardous it is not suitable for human consumption. The manufacturer assumes no liability, expressed or implied, in the use of this product.

Store this product out of direct sunlight in a cool dry area. For best results, use within 3 months.

Request a IMP SDS for more specific information. Made in the USA.



IMMUNE MODULATOR FOR POULTRY

Ultra concentrated yeast-based fermentation extract of enzymes blended with micronutrients and Direct-Fed Microbials for Poultry under stress.



Guaranteed Analysis: Direct-Fed Microbials:

1.25x10 ⁹ cfu/ml total count	Bacillus Pumilus	5.0x10 ⁸ cfu/g
	Bacillus Subtilis	3.75x10 ⁸ cfu/g
	Bacillus Licheniformis	3.75x10 ⁸ cfu/g

Minerals			
Calcium, minimum	0.68%	Magnesium, minimum	21.0 ppm
Calcium, maximum	0.86%	Zinc, minimum	29.0 ppm
Phosphorus, minimum	0.009%	Potassium, minimum	98.0 ppm
Sodium, minimum	0.44%	Sulfur, minimum	355.0 ppm
Sodium, maximum	0.56%	Copper, minimum	795.0 ppm

Contains: Propylene Glycol, Water, Molasses Products, Plant Protein Products, Acetic Acid, Sodium Benzoate, Potassium Sorbate, Bentonite, Zeolite, Lactic Acid, Bacillus, Pumilus, Bacillus Subtilis, Bacillus Licheniformis.

First Aid

-Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

NET WT	LOT#
<input type="checkbox"/> 1 Gal. (9.0 LB)	

info@assist-nps.com • (P) 815.369.2195 • 218 Evergreen Dr. Lena, IL 61048